20

35

CLAIMS:

5

- 1. A silicone rubber adhesive composition comprising
- (A) 100 parts by weight of a heat curable organopolysiloxane composition,
 - (B) 1 to 100 parts by weight of reinforcing silica fines.
 - (C) 0.1 to 50 parts by weight of an adhesive agent, and
- (D) 0.05 to 20 parts by weight of an organosilicon compound having a functional group reactive with component (A) and a siloxane skeleton incompatible with component (A).
 - 2. The composition of claim 1 wherein the heat curable organopolysiloxane composition (A) is an addition curing type organopolysiloxane composition.
 - 3. The composition of claim 1 wherein the heat curable organopolysiloxane composition (A) is an organic peroxide curing type organopolysiloxane composition.
- The composition of claim 1 wherein the adhesive agent
 is an organic compound or organosilicon compound containing in a molecule at least one group selected from
 the class consisting of Si-H, alkenyl, acrylic, methacrylic, epoxy, alkoxysilyl, ester, carboxy anhydride, amino and amide groups, or a mixture thereof.
- 5. The composition of claim 1 wherein the adhesive agent
 (C) is an organosilicon compound containing in a molecule at
 least one group selected from Si-H and alkenyl groups and at
 least one group selected from the class consisting of
 acrylic, methacrylic, epoxy, alkoxysilyl, ester, carboxy
 anhydride, amino and amide groups, or a mixture thereof.
 - 6. The composition of claim 1 wherein the adhesive agent (C) is an organosilicon compound of 1 to 30 silicon atoms

15

20

containing in a molecule at least one Si-H group and at least one phenyl or phenylene skeleton.

- 7. The composition of claim 1 wherein the organosilicon compound (D) is an organopolysiloxane in which at least one of entire substituents bound to silicon atoms in its siloxane skeleton is a reactive functional group capable of crosslinking reaction with a polysiloxane component constituting the organopolysiloxane composition (A) and the remaining groups bound to silicon atoms are substituted or unsubstituted monovalent hydrocarbon groups other than said reactive functional group.
 - 8. The composition of claim 7 wherein in the organopolysiloxane as component (D), at least one of the entire substituents bound to silicon atoms in its siloxane skeleton is an alkenyl group or hydrogen atom bound to a silicon atom and 1 to 90 mol% of the entire substituents are phenyl and/or fluoroalkyl groups bound to silicon atoms.
 - 9. An integrally molded article comprising the silicone rubber adhesive composition of claim 1 in the cured state and a thermoplastic resin.